

Composites, Curing Lights, Adhesives

1. Evid Based Dent. 2014 Jun;15(2):50-1.. Amalgam or composite fillings--which material lasts longer? Hurst D1
2. Longevity of restorations in posterior teeth and reasons for failure. Hickel & Manhart, J Adhes Dent, 2001;3:45-64
3. Indian J Dent Res. 2018 Jul-Aug;29(4):465-469. Evaluation of the fracture resistance of premolars with extensive and medium cavity preparations restored with direct restoring systems. Pottmaier LF1, Linhares LA1, Baratieri LN1, Vieira LCC1
4. J Esthet Restor Dent. 2018 May;30(3):229-239. Fracture resistance of prepared premolars restored with bonded new lab composite and all-ceramic inlay/onlay restorations: Laboratory study. Wafaie RA1, Ibrahim Ali A2, Mahmoud SH3
5. J Dent Res. 2014 Oct;93(10):943-9. Longevity of posterior composite restorations: a systematic review and meta-analysis. Opdam NJ et al
6. J Adhes Dent 14 (2012), No. 5 (15.10.2012) Page 407-431, Clinical Effectiveness of Direct Class II Restorations - A Meta-Analysis
7. J Adhes Dent. 2004 Winter;6(4):287-91. The role of cavity preparation and conditioning in the leakage of restorations. Kihn PW1, Spanganberg PA, von Fraunhofer JA.
8. J Adv Prosthodont. 2018 Apr;10(2):93-100 What is the changing frequency of diamond burs? Emir F1, Ayyildiz S1, Sahin C2
9. Oper Dent. 2008 Jan-Feb;33(1):37-43. Fracture resistance and gap formation of MOD restorations: influence of restorative technique, bevel preparation and water storage. Coelho-De-Souza FH1, Camacho GB, Demarco FF, Powers JM
10. Oral Health 2009: Introducing the Clark Class I and II Restoration. Clark, D
11. Dent Mater. 2015 May;31(5):481-95. Clinical effectiveness of direct anterior restorations--a meta-analysis. Heintze SD1, Rousson V2, Hickel R3
12. Cohen S, Burns RC. Pathways of the Pulp. 9 ed. St. Louis, MO: Elsevier Health Sciences; 2005:185.
13. J Endod. 2019 Jul;45(7):840-847.
14. Success of Direct Pulp Capping Using Mineral Trioxide Aggregate and Calcium Hydroxide in Mature Permanent Molars with Pulp Exposed during Carious Tissue Removal: 1-year Follow-up. Suhag K1, Duhan J2, Tewari S1, Sangwan P
15. J Clin Diagn Res. 2014 Jan; 8(1): 316–321. Recent Advances in Pulp Capping Materials: An Overview Asma Qureshi,1 Soujanya E.,2 Nandakumar,3 Pratapkumar,4 and Sambashivarao2
16. Clin Cosmet Investig Dent. 2017 Jul 13;9:67-72. doi: 10.2147/CCIDE.S141381. eCollection 2017. calcium hydroxide liners: a literature review. Arandi NZ1
17. Mechanical Properties of New Dental Pulp-Capping Materials Over Time. M. NIELSEN, R. VANDERWEELE, J. CASEY, and K. VANDEWALLE, USAF, JBSA-Lackland, TX, , J Dent Res 93(Spec Iss A): 495, 2014 (www.dentalresearch.org)
18. J Am Dent Assoc. 2018 Mar;149(3):209-213. An end to linings under posterior composites? Blum IR, Wilson NHF

19. Balevi B. Evid Based Dent. 2014 Dec;15(4):118-9 Caries risk and number of restored surfaces have impact on the survival of posterior composite restorations.
20. Inside Dentistry, Adhesive Dentistry: 50+ Years of Progress. January 2015; Poticny D,
21. Dent Mater. 2008 Jul;24(7):915-22. Long-term dentin retention of etch-and-rinse and self-etch adhesives and a resin-modified glass ionomer cement in non-cariou cervical lesions. van Dijken JW1, Pallesen U.
22. Clin Oral Investig. 2012 Feb;16(1):129-37. A 13-year clinical evaluation of two three-step etch-and-rinse adhesives in non-cariou class-V lesions. Peumans M1, De Munck J, Van Landuyt KL, Poitevin A, Lambrechts P, Van Meerbeek B
23. Oper Dent. 2004 Jul-Aug;29(4):376-85. A randomized, controlled trial evaluating the three-year clinical effectiveness of two etch & rinse adhesives in cervical lesions. Van Meerbeek B1, Kanumilli PV, De Munck J, Van Landuyt K, Lambrechts P, Peumans M
24. J Contemp Dent Pract. 2012 Comparison of microleakage of composite restorations using fifth and sixth generation dentin bonding agent: an in vivo study. Samimi P1, Berekatain M, Alaei S
25. Dent Mater. 2015 Mar;31(3):308-14. Thirteen-year randomized controlled clinical trial of a two-step self-etch adhesive in non-cariou cervical lesions.
26. Peumans M1, De Munck J2, Van Landuyt K2, Van Meerbeek B2.
27. Dent Mater. 2011 Jan;27(1):1-16. State of the art etch-and-rinse adhesives. Pashley DH1, Tay FR, Breschi L, Tjäderhane L, Carvalho RM, Carrilho M, Tezvergil-Mutluay A.
28. The Thickness of the Adhesive Layer Increases the Misdiagnosing of the Radiolucent Zones and Restoration Replacement Indication JERD March 2017 Tatiana Tambara Fröhlich DDS Gabriel Ferreira Nicoloso DDS, MsD Tathiane Larissa Lenzi
29. C. Zander-Grande, S.Q. Ferreira, T.R.F. da Costa, A.D. Loguercio, A. Reis Application of etch-and-rinse adhesives on dry and rewet dentin under rubbing action: a 24-month clinical evaluation J Am Dent Assoc, 142 (2011), pp. 828–835
30. J Dent. 2015 July;43(7):765-76 Rosa WL, Piva E, Silva A. Bond strength of universal adhesives: A systematic review and meta-analysis
31. Eur J Oral Sci. 2016 Aug;124(4):377-86 Tsujimoto A, et al
32. Thanatvarakorn O, Prasansuttiporn T, et al J Adhes Dent. 2016;18(3):197-204. Effect of Scrubbing Technique with Mild Self-etching Adhesives on Dentin Bond Strengths and Nanoleakage Expression.
33. Takamizawa T1, Barkmeier WW et al Dent Mater. 2016 Feb;32(2):e9-21. Influence of different etching modes on bond strength and fatigue strength to dentin using universal adhesive systems.
34. Dent. 2011 May;39(5):386-90. Influence of matrix systems on proximal contact tightness of 2- and 3-surface posterior composite restorations in vivo. Wirsching E1, Loomans BA, Klaiber B, Dörfer CE
35. J Dent. 2011 May;39(5):386-90. doi: Influence of matrix systems on proximal contact tightness of 2- and 3-surface posterior composite restorations in vivo. Wirsching E1, Loomans BA, Klaiber B, Dörfer CE
36. Oper Dent. 2019 Jul 8. doi: 10.2341/19-019-L.
37. Volumetric Cuspal Deflection of Premolars Restored With Different Paste-like Bulk-fill Resin Composites Evaluated by Microcomputed Tomography. Demirel G et al
38. Oper Dent. 2018 Mar/Apr;43(2):144-150..

39. Effect of Sonic Resin Composite Delivery on Void Formation Assessed by Micro-computed Tomography. Hirata R, Pacheco RR
40. Gen Dent. 2018 Mar-Apr;66(2):36-39. Effect of composite warming on shear bond strength. McDaniel TF, Sigrist TW, Johnson GM
41. J Conserv Dent. 2017 May-Jun;20(3): Comparative evaluation of the bond strength of posterior composite with different cavity configurations and different liners using a two-step etch and rinse adhesive system: In vitro study. Kumar T1, Sanap A1, Bhargava K1, Aggarwal S1, Kaur G1, Kunjir K1
42. J Dent Res Dent Clin Dent Prospects. 2017 Fall;11(4):222-228. Effect of preheat repetition on color stability of methacrylate- and silorane-based composite resins. Abed Kahnamouei M1,2 et al
43. JDR Clin Trans Res. 2017 Jul;2(3):295-303. Randomized Controlled Trial of Postoperative Sensitivity with Warm and Room Temperature Composite. Campbell I1
44. Demarco F.F., Collares K., Correa M.B., Cenci M.S., Moraes R.R., and Opdam N.J.: Should my composite last forever? Why are they failing? Braz. Oral Res. 2017; 31: pp. e56
45. J Dent. 2019 Sep;88:103110. Underperforming light curing procedures trigger detrimental irradiance-dependent biofilm response on incrementally placed dental composites. Maktabi H1, Ibrahim M2,
46. Dent Mater. 2014 Dec;30(12):1345-57. Correlation between the beam profile from a curing light and the microhardness of four resins. Price RB1, Labrie D, Rueggeberg FA, Sullivan B, Kostylev I, Fahey J.
47. Acta Stomatol Croat. 2019 Effects of Light Attenuation through Dental Tissues on Cure Depth of Composite Resins
48. Neimar Sartori, Alena Knezevic, Lais Dalmagro Peruchi, Jin-Ho Phark, Sillas Duarte, Jr
49. J Esthet Restor Dent. 2006;18(1):19-27; discussion 28. Shear bond strength with increasing light-guide distance from dentin. Xu X1, Sandras DA, Burgess JO
50. Clinical Oral Investigations June 2017, Volume 21, Issue 5, pp 1687–1696; Mouhat M, Mercer J, Stangvaltaite L, Örtengren, U
51. Am J Dent. 2009 Dec;22(6):381-6. Curing efficiency of three different curing lights at different distances for a hybrid composite. Zhu S1, Platt JA.
52. Am J Dent. 2009 Dec;22(6):381-6. Curing efficiency of three different curing lights at different distances for a hybrid composite. Zhu S1, Platt JA.
53. J Dent. 2019 Sep;88:103110. Underperforming light curing procedures trigger detrimental irradiance-dependent biofilm response on incrementally placed dental composites. Maktabi H1, Ibrahim M2
54. J Mech Behav Biomed Mater. 2018 Jun;82:268-281. Polymerization shrinkage stress of resin-based dental materials: A systematic review and meta-analyses of composition strategies. Meereis CTW1, Münchow EA2, de Oliveira da Rosa WL1, da Silva AF1
55. Am J Dent. 1998 Aug;11(4):165-72. Directed polymerization shrinkage versus a horizontal incremental filling technique: interfacial adaptation in vivo in Class II cavities. van Dijken JW1, Hörstedt P, Waern R.
56. J Dent Res. 2007;86:529-533 In vivo preservation of the hybrid layer by chlorhexidine. Carrilho MR, Geraldeli S, Tay F, de Goes MF, Carvalho RM, Tjaderhane L, Reis AF, Hebling J, Mazzoni A, Breschi L, Pashley D.

57. *J Biomed Mater Res B Appl Biomater.* 2010;92:268-280. A review—micromorphological evidence of degradation in resin-dentin bonds and potential preventional solutions. Hashimoto M
58. *J Clin Diagn Res.* 2015 Jun;9(6):ZE18-24. Flowable Resin Composites: A Systematic Review and Clinical Considerations. Baroudi K1, Rodrigues JC2
59. *J Investig Clin Dent.* 2019 Sep 27:e12463. Do bulk-fill resins decrease the restorative time in posterior teeth? A systematic review and meta-analysis of in vitro studies. Bellinaso MD1, Soares FZM2, Rocha RO3
60. *Clin Oral Investig.* 2019 Jan;23(1):221-233. Clinical performance of bulk-fill and conventional resin composite restorations in posterior teeth: a systematic review and meta-analysis. Veloso SRM1
61. Opacity of a New Bulk Fill Equivalent to Universal Composites, Dr. Timothy Dunbar, *J Dent Res Vol 96A*, Abstract #0188, 2017
62. *Dental materials.* 2008;24(11):1501-05,. How should composite be layered to reduce shrinkage stress: incremental or bulk filling? Park, Junkyu et al
63. *Oper Dent.* 2018 Jan/Feb;43(1):Cuspal Deflection in Premolar Teeth Restored with Bulk-Fill Resin-Based Composite Materials. Elsharkasi MM, Platt JA, Cook NB, Yassen GH, Matis BA.
64. Versluis, Antheunis, et al. Can hygroscopic expansion compensate polymerization shrinkage? Part I. Deformation of restored teeth. *Dental materials.* 2011;27(2):126-33
65. Kwon, Youngchul, Jack Ferracane and In-Bog Lee. Effect of layering methods, composite type, and flowable liner on the polymerization shrinkage stress of light cured composites. *Dental materials.* 2012;28(7):801-09
66. New Bulk Fill Restorative with Robust 5MM Depth of Cure, Dr. Paul Homnick, *J Dent Res Vol 96A*, Abstract #0189, 2017
67. Adaptation of Resin-based Composites in Class II Restorations, Dr. Barbara Cerney, *J Dent Res Vol 96A*, Abstract #0186, 2017
68. Adaptation of Resin-based Composites in Class II Restorations, Dr. Barbara Cerney, *J Dent Res Vol 96A*, Abstract #0186, 2017
69. *Oper Dent.* 2015 Nov-Dec;40(6):594-602 Two-year Randomized, Controlled Clinical Trial of a Flowable and Conventional Composite in Class I Restorations. Lawson NC, Radhakrishnan R, Givan DA, Ramp LC, Burgess JO.
70. Daronch, M., Rueggeberg, F. A., Hall, G., & De Goes, M. F. (2007). Effect of composite temperature on in vitro intrapulpal temperature rise. *Dental Materials*, 23(10), 1283-1288